



**MADE in ITALY**

**New L3 Evo EU Mist Blower**



## M1200



**Series 3 is back!**

A reinvented compact design for the new L3Evo, that keeps the simplicity of the old M3 and the high quality of the M1200

## L3evo





The keywords:

## **Simplicity**

We preserved the C7 performances, now with an “easy to use” configuration.

The L3 Evo is conceived for less demanding treatments, where sophisticated controls and precise settings are unnecessary.

## **Compactness**

The new L3 Evo has a reduced footprint. Thanks to a 12 liters liquid tank this machine minimizes its dimensions and, consequently, its weight, for an enhanced agility.



## Features :

- 2 stroke CIFARELLI C7 engine, 77 cc & 5 HP power, 2T oil
- Liquid tank capacity:  
**12 liters**
- **70 mm** outlet pipe diameter
- Drop size: **Ø 120 µm**
- Engine **spare parts** as per the M1200
- **Aluminium frame** as per M1200 (anticorrosive)



## Improved Ergonomics

- Strap attachment point at the top of the liquid tank for better weight distribution during use.
- Same Padded and ergonomic backrest as per the M1200, for an high comfort while working.
- Control handle as per M1200 for an easy adjustment of its position and angle

## Threatment




## L3evo

1. **5 positions** tap regulation for liquid flow adjustment
2. **Manual** On-off with the tap
3. Average drop size **120 µm**
4. Maximum horizontal range **17 m**
5. Maximum vertical range **15 m**

## M1200

1. 9 precise positions regulation through the diffuser for liquid flow adjustment
2. **Automatic** On-off of liquids flow by throttle
3. Average drop size **90 µm**
4. Maximum horizontal range **18 m**
5. Maximum vertical range **16 m**

## Tanks



## L3evo

1. **Liquids** - 12 litres (max 14)
2. **Fuel** - 1,9 litres

## M1200

1. **Liquids** - 17 litres
2. **Fuel** - 2,3 litres

**Powder &  
Granular tank**



## L3evo

1. Not available

## M1200

1. Available



## Air flow



## L3evo

1. **Volume** - 20 m<sup>3</sup> /min
2. **Speed** - 125 m/s

## M1200

1. **Volume** - 27 m<sup>3</sup> /min
2. **Speed** - 105 m/s

# L3 Evo EU technical comparison with M1200 EU - Summary



<b>Technical Specifications</b>	<b>M1200EU</b>	<b>L3EvoEU</b>
Engine	<b>C7, 2T</b>	<b>C7, 2T</b>
Displacement	<b>77 cc</b>	<b>77 cc</b>
Power	<b>3,6 kW (5 HP)</b>	<b>3,6 kW (5 HP)</b>
Air Volume	<b>27 m<sup>3</sup>/min</b>	<b>20 m<sup>3</sup> /min</b>
Air Speed	<b>105 m/s</b>	<b>125 m/s</b>
Outlet pipe diameter	<b>80 mm</b>	<b>70 mm</b>
Liquid Tank capacity	<b>17 l</b>	<b>12 l</b>
Liquid flow rate	<b>0 - 3,5 l/m</b>	<b>0 - 3,6 l/min</b>
Liquid flow regulation	<b>9 positions</b>	<b>5 positions</b>
Automatic closing flow at min RPM	<b>v</b>	<b>-</b>
Maximum orizontal range	<b>18 m</b>	<b>17 m</b>
Maximum vertical range	<b>16 m</b>	<b>15 m</b>
Average drop size	<b>Ø 90 µm</b>	<b>Ø 120 µm</b>
Gasoline tank capacity	<b>2,3 l</b>	<b>1,9 l</b>
Weight	<b>11,5 kg without pipes</b>	<b>10,7 kg without pipes</b>
Dimensions	<b>77 x 44 x 37 cm</b>	<b>69 x 41 x 37</b>

# L3 Evo EU comparison with M1200 EU



Available accessories	M1200EU	L3EvoEU
Booster Pump	v	v
Booster and Filling Pump	v	v
Extension pipe kit	v	v
Diverter kit	v	v
ULV Diffuser	v	v
Calibrated nozzles kit	v	v
Blowing kit	v	v
Adjustable deviator kit	v	
Powders and granular kit	v	
Inversion Kit	v	
Beekeeping Kit	v	



**Thank you!**

